HANGZHOU FENGTU IMPORT & EXPORT CO.,LTD
Add: Room 1512, Building 1, Jiangnan Mingcheng, No.818 Shixin North Road, Xiaoshan District, Hangzhou City, Zhejiang Province, P.R.China
Tel & Fax: +86-571-82310975 Mob: +86-18667160915 E-mail: stevexue@ftprefabhouse.com


Standard 20ft Container House/ Office size: 6.058x2.438x2.896m (L x W x H)			
Loading: 4 sets as a total package and then directly load into vessel.			
Delivery lead time: about 25-30 working days after get order and deposit.			
Payment terms: 50% deposit and balance to be paid before shipment.			
Advantage: the steel structure is made by Galvanized steel , and then Epoxy Zinc rich paint for finishing			
WALL & ROOF			
1	Wall panel	Wall panel	60 mm thickness EPS or Rock Wool sandwich panel with 0.5mm thickness white-grey color steel skin, EPS about 16kg/m3 density insulation; Rock Wool about 90kg/m3 density insulation.
		Partition wall panel	60 mm thickness EPS or Rock Wool sandwich panel with 0.5mm thickness white-grey color steel skin, EPS about 16kg/m3 density insulation; Rock Wool about 90kg/m3 density insulation.
2	Roof	Interior top board	50 mm thickness EPS or Rock Wool sandwich panel with 0.5mm thickness white-grey color steel skin, EPS about 16kg/m3 density insulation; Rock Wool about 90kg/m3 density insulation.
		Insulation part in top	75mm Rock Wool Insulation
		Exterior top board	0.5mm thickness color steel

		Roof water treatment	50mm Dia PVC pipe for roof water system.
STEEL FRAME			
3	Steel frame	Column	3.0mm Galvanized steel bending + Epoxy zinc rich paint finishing
		Floor base main beam	3.0mm steel bending main beam + Epoxy zinc rich paint finishing
		Floor base secondary beam	80x40mm Galvanized steel rectangular tube
		Roof main framework	3.0mm steel bending main beam + painting finishing
		Roof secondary beam	40x40mm Galvanized steel rectangular tube
		Corner fitting	special for container house, ISO standard
		Skirting line for decorate wall edged	PVC skirting line
FLOOR			
4	Floor	Floor base	18mm Fiber cement board
		Floor finishing	1.8mm PVC floor
		Floor insulation	100mm Rock Wool Insulation
		Floor base cover	0.4mm steel plate covering whole floor base frame.
5	Door & Window	Door	840x2040mm white color security door with stainless steel lock
		Window	800x1100mm white color Aluminum Alloy Sliding windows with double glazed glass 5/9/5mm & fly screen; Toilet Room window with size of 600x600mm.
		Window wrap page	aluminum alloy

ACCESSARIES			
6	Accessories	Accessories	bolt, screw, glass glue, connecting part, basic tools for assembling
		Electrical material components	electric distribution board,single phase circuit breaker , sockets, switches, lights, wire under customers' country standard
		Facilities	Shower, towel rack; toilet, toilet paper holder; hand basin, soap holder; Kitchen cabinet with sink; Bed; wardrobe; table with chair (The listed facilities are for options).
















CNNU 226196 1